

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	01/31/2012	05/06/2014	3
002 Definitions and Abbreviations	01/12/2012	05/06/2014	3
003 Ratings and Limitations	01/30/2004	05/05/2014	9
004 Summary of Special Authorizations and Limitations	09/23/1998	01/03/2012	4
007 Designated Persons	12/19/2006	05/06/2014	13
449 Antidrug and Alcohol Misuse Prevention Program	07/17/2009	01/03/2012	9

**A001 . Issuance and Applicability**

**HQ Control: 01/31/2012**

**HQ Revision: 05d**

a. These operations specifications are issued to The New Avex Inc., a Repair Station located in the United States, pursuant to 14 CFR Part 145, § 145.53. The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location:  
205 Durley Ave. Suite. A  
Camarillo, California 93010

b. The holder of these operations specifications is the holder of certificate number X1IR595Y and shall hereafter be referred to as the "certificate holder".

c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the certificate for a repair station that is located in the United States is surrendered, suspended, or revoked.

d. U.S./EC Aviation Safety Agreement Repair Station/Maintenance Organization Approvals not authorized.

e. The certificate holder is authorized to use only the business name which appears on the certificate to conduct the operations described in subparagraph a.

Delegated authorities: None

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Patrick J OBrien, Principal Maintenance Inspector (WP01)  
[1] SUPPORT INFO: AVEX Amendment Letter 4/30/2014  
[2] EFFECTIVE DATE: 5/6/2014, [3] AMENDMENT #: 3  
DATE: 2014.05.05 11:21:29 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Byron J. Guynn

Guynn, Byron, Chief Inspector

05/06/2014

Date

---

**A002 . Definitions and Abbreviations**

**HQ Control: 01/12/2012**

**HQ Revision: 05b**

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

<b>BASA</b>	The Bilateral Aviation Safety Agreement (BASA) is an executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.
<b>Certificate Holder</b>	In these operations specifications, the term "certificate holder" means the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.
<b>CFR</b>	Code of Federal Regulations
<b>Class rating</b>	As used with respect to the certification, ratings, privileges, and limitation of aircraft within a category having similar operating characteristics.
<b>EASA</b>	European Aviation Safety Agency
<b>EASA Accountable Manager</b>	The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full-member Authority.
<b>Exemption</b>	An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of 14 CFR Part 11.
<b>FAA Accountable Manager</b>	A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.
<b>Geographic Authorization</b>	An approval provided to a repair station located outside the United States to perform maintenance support under contract for a U.S. air carrier (or an operator of U.S.- registered aircraft under 14 CFR Part 129) at a location other than the repair station facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not

---

	warrant permanently staffing and equipping the station for its accomplishment.
<b>Limited Rating</b>	A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.
<b>Limited Ratings - Specialized Services</b>	Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.
<b>Line Maintenance</b>	Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.
<b>MAG</b>	The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the Agreement, Annex 2, Maintenance.
<b>Maintenance</b>	The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.
<b>U.S./EC Aviation Safety Agreement, Annex 2, Maintenance</b>	Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.
<b>MIP</b>	Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance.
<b>MOE</b>	A maintenance organization exposition (MOE) pertains to EASA member countries that use an MOE in place of a Repair Station Manual (RSM) and a Quality Control Manual (QCM).
<b>Preventive Maintenance</b>	As defined in 14 CFR part 1 and part 43 appendix A, subparagraph (c).
<b>QCM</b>	Quality Control Manual
<b>Repair Station located in the United States</b>	A certificated repair station located in the United States.
<b>Repair Station located outside the United States</b>	A certificated repair station located outside of the United States.
<b>RSM</b>	Repair Station Manual

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Patrick J OBrien, Principal Maintenance Inspector (WP01)  
[1] SUPPORT INFO: AVEX Amendment Letter 4/30/2014  
[2] EFFECTIVE DATE: 5/6/2014, [3] AMENDMENT #: 3  
DATE: 2014.05.05 11:21:32 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Byron D. Guynn

Guynn, Byron, Chief Inspector

05/06/2014

Date

---

**A003 . Ratings and Limitations**

**HQ Control: 01/30/2004**

**HQ Revision: 010**

The Certificate Holder is authorized the following Ratings and/or Limitations:

**Class Ratings**

None Authorized

**Limited Ratings**

<b><u>Rating</u></b>	<b><u>Manufacturer</u></b>	<b><u>Make/Model</u></b>	<b><u>Limitations</u></b>
Airframe	Socata	TB - All Series And TBM 700 - All Series, From The Accepted Capabilities List, (As Amended).	Perform Inspection, Maintenance, Modification And Repair, In Accordance With The Manufacturers Maintenance Instructions And / Or Other FAA Approved Data.
Powerplant	Pratt & Whitney	PT6A-64 And -66 Series, From The Accepted Capabilities List, (As Amended).	Perform Inspections, Minor Maintenance, Minor Alterations And Repairs. Remove And Install Powerplants, And Powerplant Components External To The Powerplant Core. Perform Hot Section Inspections. All Work Shall Be Performed In Accordance With The Manufacturers Maintenance Instructions And / Or Other FAA Approved Data.
	Lycoming Engines	From The Accepted Capabilities List, (As Amended).	Perform Inspections, Minor Maintenance, Minor Alterations And Repairs. Remove And Install Powerplants, Accessories And Cylinder Assemblies. Remove And Install Pistons and Piston Components, Valve System Operating Components And Powerplant Components External To The Crankcase. All Work Shall Be In Accordance With The Manufacturers Maintenance Instructions And / Or Other FAA Approved Data.

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
Propeller	Hartzell Propeller	From The Accepted Capability List, (As Amended).	Remove And Install Propeller. Perform Inspections, Minor Maintenance And Repairs. Remove And Install De-Ice Boots. Does Not Include Disassembly Or Replacement Of Major Parts. All Work Shall Be In Accordance With The Manufacturers Maintenance Instructions And / Or Other FAA Approved Data.
	Sensenich Propeller	From The Accepted Capability List, (As Amended).	Remove And Install Propeller. Perform Inspections, Minor Maintenance And Repairs. Remove And Install De-Ice Boots. Does Not Include Disassembly Or Replacement Of Major Parts. All Work Shall Be In Accordance With The Manufacturers Maintenance Instructions And / Or Other FAA Approved Data.
	MT Propeller	From The Accepted Capability List, (As Amended).	Remove And Install Propeller. Perform Inspections, Minor Maintenance And Repairs. Remove And Install De-Ice Boots. Does Not Include Disassembly Or Replacement Of Major Parts. All Work Shall Be In Accordance With The Manufacturers Maintenance Instructions And / Or Other FAA Approved Data.
Accessories Cleveland		Brake Assemblies P/N 30-63J, 30-41B And 30-191	Perform Inspection, Maintenance And Repair, In Accordance With The Manufacturers Maintenance Instructions And / Or Other FAA Approved Data.
	Socata	Actuator Assemblies P/N T700A3230050 Series , T700A3230053 Series, VSTS 083550 and VSTS 083560, From The Accepted Capabilities List, (As Amended).	Perform Inspection, Maintenance, Repair, Modification, Overhaul and Test In Accordance With The Manufacturers Maintenance Instructions And / Or Other FAA Approved Data.
Radio	From The Accepted Capability List, (As Amended).	From The Accepted Capability List, (As Amended).	Perform ATC Transponder Tests And Inspections ONLY, In Accordance With FAR 91.413.
Instruments	From The Accepted Capability List, (As Amended).	From The Accepted Capability List, (As Amended).	Perform Pitot Static System Tests And Inspections ONLY, In Accordance With FAR 91.411.

**Limited Ratings - Specialized Services**



**Rating**

None Authorized.

**Specifications**

**Limitations**

*All Work Shall Be Performed In Accordance With The Manufacturers Maintenance Instructions And / Or Other FAA Approved Data.*

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Patrick J OBrien, Principal Maintenance Inspector (WP01)  
[1] SUPPORT INFO: AVEX Amendment Letter 4/30/2014  
[2] EFFECTIVE DATE: 5/5/2014, [3] AMENDMENT #: 9  
DATE: 2014.05.05 11:26:00 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

*Byron D. Guynn*

Guynn, Byron, Chief Inspector

*05/06/2014*

Date

**A004 . Summary of Special Authorizations and Limitations**

**HQ Control: 09/23/1998**

**HQ Revision: 010**

**a. The certificate holder, in accordance with the reference paragraphs, is authorized to:**

	Reference Paragraphs
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100

**b. The certificate holder is *not authorized and shall not*:**

	Reference Paragraphs
Use Exemptions.	A005
Use an approved electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Perform maintenance with NAA ratings where the scope of work is authorized by a BASA/MIP.	A060
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107



**A007 . Designated Persons**

**HQ Control: 12/19/2006**

**HQ Revision: 030**

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

**Table 1 – Designated Persons to Apply for and Receive Authorizations**

Title	Name	Parts Authorized
FAA Accountable Manager, 145 / Chief Inspector	Guynn, Byron	A,D
President of Sales	Winson, Terence	A,D
CEO	Winson, Terese	A,D

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

**Table 2 – Designated to Receive INFO Messages**

Name	Email Address	Telephone No.	Type of Information to Receive
Guynn, Byron	ron@newavex.com	805-389-1188	ALL

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Patrick J OBrien, Principal Maintenance Inspector (WP01)  
[1] SUPPORT INFO: AVEX Amendment Letter 4/30/2014  
[2] EFFECTIVE DATE: 5/6/2014, [3] AMENDMENT #: 13  
DATE: 2014.05.05 11:21:35 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Byron D. Guynn                      05/06/2014  
Guynn, Byron, Chief Inspector                      Date

Table of Contents

Part D

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
100 Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/2004	05/06/2014	4

**D100 . Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)** HQ Control: 11/16/2004  
HQ Revision: 050

- a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

Work Authorized	Repair Stations Manual References	Quality Control Manual References
MAINTENANCE PERFORMED AT A LOCATION OTHER THAN THE REPAIR STATION	THE NEW AVEX INC. RSM/QCM - SECTION 9.11	THE NEW AVEX INC. RSM/QCM - SECTION 9.11

- b. The certificate holder **may not** perform **continuous** operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. Line Stations. Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Patrick J OBrien, Principal Maintenance Inspector (WP01)  
[1] SUPPORT INFO: AVEX Amendment Letter 4/30/2014  
[2] EFFECTIVE DATE: 5/6/2014, [3] AMENDMENT #: 4  
DATE: 2014.05.05 11:21:37 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Byron D. Guynn

Guynn, Byron, Chief Inspector

05/06/2014

Date

---

**A449 . Antidrug and Alcohol Misuse Prevention Program**

**HQ Control: 07/17/2009**

**HQ Revision: 00a**

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

**Table 1**

<b>Location &amp; Telephone of Antidrug and Alcohol Misuse Prevention Program Records:</b>	
<b>Telephone Number:</b>	A1 805-389-1188
<b>Address:</b>	205 Durley Avenue, Suite A
<b>Address:</b>	N/A
<b>City:</b>	Camarillo
<b>State:</b>	CA
<b>Zip code:</b>	93010

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
  - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
  - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has fewer than 50 safety-sensitive employees.



